

NUTRIENT STANDARDS RULES

NEW RULE I: NUTRIENT STANDARDS VARIANCES

- (1) A person may apply to the department for an individual, general, or alternative nutrient standards variance at any time prior to or following the board's adoption of base numeric nutrient standards.
- (2) An application for an individual variance must provide adequate demonstration that there are no reasonable alternatives that eliminate the need for a variance and that attainment of the base numeric nutrient standards is precluded due to economic impacts, the limits of technology, or both. If the demonstration relies upon economic impacts, the demonstration must be consistent with the guidelines developed by the department and the nutrient work group, as provided in 75-5-313(2), MCA.
- (3) The department shall review each application for an individual variance to determine whether a reasonable alternative, such as trading, a permit compliance schedule, a general variance, an alternative variance, reuse, recharge, or land application would eliminate the need for an individual variance. If the department makes a preliminary finding that a reasonable alternative to approving an individual variance is available, the department shall consult with the applicant prior to making a final decision to approve or deny the individual variance.
- (4) If, after consultation with the applicant, the department determines that no reasonable alternative to an individual variance exists, the department must determine whether the information provided by the applicant in (2) adequately demonstrates that attaining the base numeric nutrient standards is not feasible. If the department finds that attaining the base numeric nutrient standards is not feasible, the department shall approve an individual variance, which will become effective and incorporated into the applicant's permit only after adoption by the department in a formal rulemaking proceeding.
- (5) An application for a general variance must provide information demonstrating that the wastewater treatment facility meets the requirements of 75-5-313(5)(b), MCA.
- (6) An application for an alternative variance must demonstrate that the nutrient concentrations established in an individual or general variance would result in an insignificant reduction of nutrient loading in the receiving stream.

17.30.602 DEFINITIONS In this subchapter the following terms have the meaning indicated below and are supplemental to the definitions given in 75-5-303, MCA:

(1) through (15) remain the same.

(16) "Limits of technology" means wastewater treatment processes for the removal of nitrogen and phosphorus compounds from wastewater that can achieve a concentration of 70 micrograms of total phosphorus per liter and 4,000 micrograms of total nitrogen per liter.

(16) through (34) remain the same but are renumbered (17) through (35).

~~(35)~~ (36) "Total nitrogen" means the total nitrogen concentration (as N) of unfiltered water. This may be determined by direct methods, or derived as the sum of the soluble (as N) and non-soluble (as N) nitrogen fractions. The filter used to separate the soluble and non-soluble fractions must be 0.45 µm. Total nitrogen in a sample may also be determined by persulfate digestion, or as the sum of total kjeldahl nitrogen plus nitrate plus nitrite.

~~(36)~~ (37) "Total phosphorus" means the total phosphorus concentration (as P) of unfiltered water. Total phosphorus may also be determined as the sum of orthophosphates, polyphosphates, and organically bound phosphates, as P, in an unfiltered water sample. Total phosphorus may also

be determined directly by persulfate digestion.

(37) through (40) remain the same but are renumbered (38) through (41).

~~(41)~~ (42) “DEQ-7” means the department circular that is adopted and incorporated by reference in ARM 17.30.619 and is entitled “Montana Numeric Water Quality Standards.” This circular establishes water quality standards for toxic, carcinogenic, bioconcentrating, nutrient, radioactive, and harmful parameters, and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate, nitrate + nitrite, and nitrite.

(43) “DEQ-12” means the department circular that is adopted and incorporated by reference in ARM 17.30.619 and is entitled “Montana Base Numeric Nutrient Standards and Nutrient Standards Variances” This circular contains numeric water quality standards for total nitrogen and total phosphorus in surface waters and also contains variances from those standards.

17.30.619 INCORPORATIONS BY REFERENCE (1) The board adopts and incorporates by reference the following state and federal requirements and procedures as part of Montana's surface water quality standards:

(a) Department Circular DEQ-12, entitled “Montana Base Numeric Nutrient Standards and Nutrient Standards Variances,” Part A (March 2012 edition), which establishes numeric water quality standards for total nitrogen and total phosphorus in surface waters;

~~(a)~~ (b) Department Circular DEQ-7, entitled “Montana Numeric Water Quality Standards” (August 2010 edition), which establishes water quality standards for toxic, carcinogenic, bioconcentrating, nutrient, and harmful parameters and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate; nitrate + nitrite; and nitrite;

(b) through (f) remain the same but are renumbered (c) through (g).

(2) The department adopts and incorporates by reference the following as part of Montana’s surface water quality standards:

Department Circular DEQ-12, entitled “Montana Base Numeric Nutrient Standards and Nutrient Standards Variances,” Part B (March 2012 edition), which establishes variances from the numeric water quality standards for total nitrogen and total phosphorus in surface waters adopted by the board in Part A of Department Circular DEQ-12.

(2) remains the same but is renumbered (3).

17.30.622 A-1 CLASSIFICATION STANDARDS (1) through (2) remain the same.

(3) No person may violate the following specific water quality standards for waters classified A-1:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards contained in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.623 B-1 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-1:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.624 B-2 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-2:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.625 B-3 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified B-3:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.626 C-1 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-1:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.627 C-2 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-2:

(a) through (h) remains the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter

13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.628 I CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified I:

(a) through (i) remain the same.

(j) Beneficial uses are considered supported when the concentrations of toxic, carcinogenic, or harmful parameters in these waters do not exceed the applicable standards specified in department Circular DEQ-7 and DEQ-12 when stream flows equal or exceed the flows specified in ARM 17.30.635(4) or, alternatively, for aquatic life when site-specific criteria are adopted using the procedures given in 75-5-310, MCA. The limits shall be used as water quality standards for the affected waters and as the basis for permit limits instead of the applicable standards in department Circular DEQ-7.

(k) Limits for toxic, carcinogenic, or harmful parameters in new discharge permits issued pursuant to the MPDES rules (ARM Title 17, chapter 30, subchapter 13) are the larger of either the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12, site-specific standards or one-half of the mean in-stream concentrations immediately upstream of the discharge point.

17.30.629 C-3 CLASSIFICATION STANDARDS (1) remains the same.

(2) No person may violate the following specific water quality standards for waters classified C-3:

(a) through (h) remain the same.

(i) Dischargers issued permits under ARM Title 17, chapter 30, subchapter 13, shall conform with ARM Title 17, chapter 30, subchapter 7, the nondegradation rules, and may not cause receiving water concentrations to exceed the applicable standards specified in department Circular DEQ-7 and, when applicable, the base numeric nutrient standards or nutrient standards variances in DEQ-12 when stream flows equal or exceed the design flows specified in ARM 17.30.635(4).

(j) through (k) remain the same.

17.30.631 NUMERIC ALGAL BIOMASS AND NUTRIENT STANDARDS

~~(1) No person may violate the numeric water quality standards identified below.~~

~~(2) The numeric nutrient and standing crop of benthic algae water quality standards for the mainstem Clark Fork River from below the Warm Springs Creek confluence (N46°11'17", W112°46'03") to the confluence with the Flathead River (N47°21'45", W114°46'43") are as follows:~~

~~(a) In the mainstem Clark Fork River from below the Warm Springs Creek confluence (N46°11'17", W112°46'03") to the confluence with the Blackfoot River (N46°52'19", W113°53'35") the numeric water quality standards for Total Nitrogen, Total Phosphorus, and benthic algal chlorophyll a, applicable from June 21 to September 21, are as follows:~~

(i) Parameter	<u>Concentration</u>
Total Phosphorus as P	<u>20 µg/L</u>

Total Nitrogen as N	300 µg/L
(ii) <u>Parameter</u>	<u>Density</u>
(Summer mean) - Benthic algal chlorophyll a	100 mg/square meter
(Maximum) - Benthic algal chlorophyll a	150 mg/square meter

(b) In the Clark Fork River from the confluence with the Blackfoot River (N46°52'19", W113°53'35") to the confluence with the Flathead River (N47°21'45", W114°46'43") the numeric water quality standards for Total Nitrogen, Total Phosphorus, and benthic algal chlorophyll a, applicable from June 21 to September 21, are as follows:

(i) <u>Parameter</u>	<u>Concentration</u>
Total Phosphorus as P	39 µg/L
Total Nitrogen as N	300 µg/L
(ii) <u>Parameter</u>	<u>Density</u>
(Summer mean) - Benthic algal chlorophyll a	100 mg/square meter
(Maximum) - Benthic algal chlorophyll a	150 mg/square meter

17.30.635 GENERAL TREATMENT STANDARDS (1) through (3) remain the same.

(4) For design of disposal systems, stream flow dilution requirements must be based on the minimum consecutive seven-day average flow which may be expected to occur on the average of once in 10 years. When dilution flows are less than the above design flow at a point discharge, the discharge is to be governed by the permit conditions developed for the discharge through the waste discharge permit program. If the flow records on an affected surface water are insufficient to calculate a 10-year seven-day low flow, the department shall determine an acceptable stream flow for disposal system design. The department shall determine the acceptable stream flow for disposal system design for controlling nitrogen and phosphorus concentrations. For total nitrogen and total phosphorus, the stream flow dilution requirements must be based on the seasonal 14Q10, which is the lowest average 14 consecutive day low flow, occurring from July through October, with an average recurrence frequency of once in 10 years.

17.30.702 DEFINITIONS The following definitions, in addition to those in 75-5-103, MCA, apply throughout this subchapter (Note: 75-5-103, MCA, includes definitions for "base numeric nutrient standards," "degradation," "existing uses," "high quality waters," "mixing zone," and "parameter"):

(1) through (16) remain the same.

(17) "Nutrients" means ~~total inorganic phosphorus and total inorganic nitrogen.~~

(18) through (21) remain unchanged but are renumbered (17) through (20).

(22) (21) "Reporting values (RRV)" means the detection level that must be achieved in reporting surface water or ground water monitoring or compliance data to the department unless otherwise specified in a permit, approval, or authorization issued by the department. The RRV is the department's best determination of a level of analysis that can be achieved by the majority of commercial, university, or governmental laboratories using EPA approved methods or methods approved by

the department. The RRV is listed in Circular DEQ-7, Part A of Circular DEQ-12, and the definition of total inorganic phosphorus.

(23) remains the same but is renumbered (22).

(23) "Total inorganic phosphorus" means the sum of all orthophosphates, as P, in an unfiltered water sample. Total inorganic phosphorus may also be determined by direct colorimetry. The RRV for total inorganic phosphorus is 1 microgram per liter.

(24) "Total nitrogen" means the sum of all nitrate, nitrite, ammonia, and organic nitrogen, as N, in an unfiltered water sample. Total nitrogen in a sample may also be determined by persulfate digestion, or as the sum of total kjeldahl nitrogen plus nitrate plus nitrite.

(25) "Total phosphorus" means the sum of orthophosphates, polyphosphates, and organically bound phosphates, as P, in an unfiltered water sample. Total phosphorus may also be determined directly by persulfate digestion.

(24) through (25) remain the same but are renumbered (26) and (27).

~~(26)~~ (28) The board adopts and incorporates by reference:

(a) Department Circular DEQ-12, entitled "Montana Base Numeric Nutrient Standards and Nutrient Standards Variances," Part A (March 2012 edition), which establishes numeric water quality standards for total nitrogen and total phosphorus in surface waters.

~~(a)~~ (b) Department Circular DEQ-7, entitled "Montana Numeric Water Quality Standards" (August 2010 edition), which establishes water quality standards for toxic, carcinogenic, bioconcentrating, nutrient, radioactive, and harmful parameters and also establishes human health-based water quality standards for the following specific nutrients with toxic effects: nitrate; nitrate + nitrite, and nitrite;

(b) through (d) remain the same but are renumbered (c) through (e).

17.30.715 CRITERIA FOR DETERMINING NONSIGNIFICANT CHANGES IN WATER QUALITY (1) The following criteria will be used to determine whether certain activities or classes of activities will result in nonsignificant changes in existing water quality due to their low potential to affect human health or the environment. These criteria consider the quantity and strength of the pollutant, the length of time the changes will occur, and the character of the pollutant. Except as provided in (2), changes in existing surface or ground water quality resulting from the activities that meet all the criteria listed below are nonsignificant, and are not required to undergo review under 75-5-303, MCA:

(a) activities that would increase or decrease the mean monthly flow of a surface water by less than 15% or the seven-day 10 year low flow by less than 10%;

(b) discharges containing carcinogenic parameters or parameters with a bioconcentration factor greater than 300 at concentrations less than or equal to the concentrations of those parameters in the receiving water;

(c) discharges containing toxic parameters ~~or nutrients, except as specified in (1)(d) and (e)~~, which will not cause changes that equal or exceed the trigger values in department Circular DEQ-7. Whenever the change exceeds the trigger value, the change is not significant if the resulting concentration outside of a mixing zone designated by the department does not exceed 15% of the lowest applicable standard;

(d) discharges to surface waters containing total nitrogen and total phosphorus when the resulting concentration outside of a mixing zone designated by the department does not exceed 50% of the base numeric nutrient standards for these parameters.

(d) through (g) remain the same but are renumbered (e) through (h).